Label-Lyte[™] 29LL410 film for fast, high-gloss, high-yield reel-fed labeling



Jindal Films has introduced Label-Lyte™ 29LL410 film for fast, high-quality reel-fed labeling. Well-suited for all printing technologies, including rotary UV printing, it enables costeffective, fast turn-around of print runs requiring excellent print performance.

Label-Lyte 29LL410 film is an uncoated, transparent coextruded oriented polypropylene (OPP) film which is slip controlled on the untreated surface for robust machinability and stable performance on all reel-fed labeling equipment. Slip properties of the reverse-printed side are effectively managed by converter-applied, low coefficient of friction (COF) lacquer or varnish. The treated surface also provides excellent hot melt anchorage.

This downgauged 29 micron film can reduce label weight and cost while delivering high-quality labels for a range of reel-fed, wrap-around labeling applications including:

- mineral water
- carbonated soft drinks
- juices and tea

For brand owners and retailers, Label-Lyte 29LL410 film enables outstanding brand promotion.



Benefits


- superb gloss and transparency
- good printability with all printing technologies
- high vield, downgauged film
- slip control on untreated side for smooth reel-fed labeling



Enhanced promotional opportunities

Label-Lyte 29LL410™ film offers broad printability across all technologies including solvent flexo and rotogravure, UV flexo and UV offset lithography for production flexibility.

This broad printing capability, combined with remarkable gloss and transparency, delivers exceptional shelf appeal in retail outlets. Labels produced with Label-Lyte 29LL410 film have high consumer appeal that motivates brand "pick-up" and moves product off retail shelves.



Low cost alternative

Because of its very thin gauge and excellent machinability, the film provides high yield, reduced waste and lower cost labeling.



Contact your Jindal Films representative for more information

www.oppfilms.com

Jindal Films

© 2013 Jindal Films. Jindal Films, the Jindal Films logo, and other product or service names used herein are trademarks of Jindal Films, unless indicated otherwise. This document may not be distributed, displayed, copied or altered without Jindal Films prior written authorization. To the extent Jindal Films authorizes distributing, displaying and/or copying of this document, the user may do so only if the document is unaltered and complete, including all of its headers, footers, disclaimers and other information. You may not copy this document to, or reproduce it in whole or in part on, a website. Jindal Films does not guarantee the typical (or other) values. Any data included herein is based upon analysis of representative samples and not the actual product shipped. The information in this document relates only to the named product or materials when not in combination with any other product or materials. We based the information on data believed to be reliable on the date complied, but we do not represent, warrant, or otherwise guarantee the accuracy, reliability, or completeness of this information; nor do we warrant, expressly or indirectly or processes described. The user is solely responsible for all determinions regarding any use of material or product and any process in its territories of interest. We expressly disclaim in all billity for any loss, damage or injury directly or indirectly suffered or incurred as a result of, or related to, anyone using or relying on any of the information in this document. This document is not an endorsement of any non-Jindal Films product or process, and we expressly disclaim any contrary implication. The terms "we," "our," "Jindal Films" and "Jindal" are each used for convenience, and may include Films Americas LLC, Films Europe S.A.R.L. or any companies affiliated with them in the production and sale of film products. There are a number of such affiliated companies and responsibility for local action and accountability remains with them.