

The right film for the right application

Films for Pressure Sensitive Labels (PSL)

Coated films	Thickness *	Clear	White	Matte	Metallized
LH538 - Cavitated White	50/60μ		x		
LL539 - Clear	40/50/60μ	x			
SW538 - Solid White	50/58μ		x		
LLC538 - White Conformable	52μ		x		
LLC539 - Clear Conformable	52μ	x			
LH344 - Hot Melt Resistant	60μ		x		
LT500 - Cavitated White Matte	65μ		x	x	
LTR742 - Cavitated White Matte	70μ		x	x	
ML580 - Metallized	50μ				x
Uncoated films					
ZH247 - Cavitated white	50/58/60μ		x		
LL210 - Clear	50/57μ	x			
LL222 - Clear	17μ	x			
SWL247 - Solid white	50/58μ		x		
LLC247 - White conformable	52μ		x		
LLC210 - Clear conformable	52μ	x			
DL247 - Cavitated white low density	57μ		x		
PT600N - Direct Thermal Printing	75μ		x	x	
PT300 - Direct Thermal Printing	75μ		x	x	

Films for Digital Printing **

	Thickness *	Clear	White	Metallized
LLD110	50μ	x		
LHD144	60μ		x	
MD580	50μ			x

* Thickness is a general product reference and may or may not be the actual finished thickness of the product – see product datasheet

** With HP Indigo digital presses

September 2017

Contact your Jindal Films representative for more information

www.jindalfilms.com

info@jindalfilms.com

© 2017 Jindal Films. Jindal Films, the Jindal Films logo, and other product or service names used herein are trademarks of Jindal Films, unless indicated otherwise. This document may not be distributed, displayed, copied or altered without Jindal Films' prior written authorization. To the extent Jindal Films authorizes distributing, displaying and/or copying of this document, the user may do so only if the document is unaltered and complete, including all of its headers, footers, disclaimers and other information. You may not copy this document to, or reproduce it in whole or in part on, a website. Jindal Films does not guarantee the typical (or other) values. Any data included herein is based upon analysis of representative samples and not the actual product shipped. The information in this document relates only to the named product or materials when not in combination with any other product or materials. We based the information on data believed to be reliable on the date compiled, but we do not represent, warrant, or otherwise guarantee the accuracy, reliability, or completeness of this information; nor do we warrant, expressly or impliedly, the merchantability, fitness for a particular purpose, freedom from patent infringement, or suitability of the products, materials or processes described. The user is solely responsible for all determinations regarding any use of material or product and any process in its territories of interest. We expressly disclaim liability for any loss, damage or injury directly or indirectly suffered or incurred as a result of, or related to, anyone using or relying on any of the information in this document. This document is not an endorsement of any non-Jindal Films' product or process, and we expressly disclaim any contrary implication. The terms "we," "our," "Jindal Films" and "Jindal" are each used for convenience, and may include Jindal Films Americas LLC, Jindal Films Europe S.a.r.l. or any companies affiliated with them in the production and sale of film products. There are a number of such affiliated companies, many with names including "Jindal" or "Films". Neither the use of these terms of convenience, nor anything else in this document, is intended to override or supersede the legal separateness of those affiliated companies and responsibility for local action and accountability remains with them.

Films for In Mould Labels (IML)

	Thickness *	White
IMS447 - Solid White	57μ	x
IMD447 - Cavitated	60μ	x

Films for Wrap-around, Reel-Fed Labels

Coated films	Thickness *	Density	Clear	White	Metallized
LL666	30/35/40μ	-	x		
Uncoated films					
DL247 - Low density	33/38μ	0.54		x	
LL247	33/38/47μ	0.62		x	
LH247	35/40/50μ	0.73		x	
LL410	29/35μ	-	x		
LL222	17μ	-	x		
LW280	38μ	0.62			x

Films for Wrap-around Cut and Stack Labels

Coated films	Thickness *	Clear	White	Matte
LTG702	50μ	x		
LTR741	65μ		x	x
LTR742	70μ		x	x
Uncoated films				
LTL247	47μ		x	

Films for heat shrink Roll On Shrink On, ROSO™

	Thickness *	Clear
LR210	40/50μ	x
HLR210 - High Shrink	40μ	x