

Improved barrier and machinability with Metallyte™ OPP film

Metallyte™
films

Application	Promotional candies from Caramelos Cerdán S.L.
Format	Horizontal form fill seal (HFFS) flowpack
Market segment	Sweet Confectionery - Candies
Film type	Metallyte™ 40MM648 white, coated metallized OPP film
Brand owner challenge	Barrier and machine performance

Solution

- Metallyte™ 40MM648 film was chosen for its excellent barrier, allowing optimum moisture protection
- combination of high barrier metallization and over-coating technology provides a robust solution with a mono-web film
- mono-web barrier film allows brand-owner to surface print and avoid using a multi-material laminate

Brand owner benefits

- outstanding moisture & aroma protection for sugar based candies
- excellent visual appearance for good brand recognition
- very good performance on HFFS packaging machines

Film type description

Metallyte™ 40MM648 is a metallized cavitated white opaque polypropylene film, coated on one side with a very low temperature seal (VLTS) coating and on the other side with a proprietary printable metal protective coating.

Features:

- Monoweb barrier metallized sealant solution
- Very low sealing temperature with VLTS coating
- Ease of converting on the coated metallized side
- Good seal integrity with cavitated base film



Flavored candies
from Caramelos Cerdán

Jindal
Films

Contact your Jindal Films representative for more information

www.jindalfilms.com

info@jindalfilms.com

Jindal
Films

© 2015 Jindal Films. Jindal Films, the Jindal Films logo, and other product or service names used herein are trademarks of Jindal Films, unless indicated otherwise. This document may not be distributed, displayed, copied or altered without Jindal Films' prior written authorization. To the extent Jindal Films authorizes distributing, displaying and/or copying of this document, the user may do so only if the document is unaltered and complete, including all of its headers, footers, disclaimers and other information. You may not copy this document to, or reproduce it in whole or in part on, a website. Jindal Films does not guarantee the typical (or other) values. Any data included herein is based upon analysis of representative samples and not the actual product shipped. The information in this document relates only to the named product or materials when not in combination with any other product or materials. We based the information on data believed to be reliable on the date compiled, but we do not represent, warrant, or otherwise guarantee the accuracy, reliability, or completeness of this information; nor do we warrant, expressly or impliedly, the merchantability, fitness for a particular purpose, freedom from patent infringement, or suitability of the products, materials or processes described. The user is solely responsible for all determinations regarding any use of material or product and any process in its territories of interest. We expressly disclaim liability for any loss, damage or injury directly or indirectly suffered or incurred as a result of, or related to, anyone using or relying on any of the information in this document. This document is not an endorsement of any non-Jindal Films' product or process, and we expressly disclaim any contrary implication. The terms "we," "our," "Jindal Films" and "Jindal" are each used for convenience, and may include Jindal Films Americas LLC, Jindal Films Europe S.à r.l. or any companies affiliated with them in the production and sale of film products. There are a number of such affiliated companies, many with names including "Jindal" or "Films". Neither the use of these terms of convenience, nor anything else in this document, is intended to override or supersede the legal separateness of those affiliated companies and responsibility for local action and accountability remains with them.