

## ⋮ Enhanced shelf-appearance and seal integrity

OPPalyte™ 40MW648 is a white opaque cavitated oriented polypropylene (OPP) film, acrylic coated on one side and VLTS coating on the other side.

### FILM TYPE

OPPalyte™ 40MW648 white coated OPP film

### FORMAT

Horizontal form fill seal (HFFS) miniwrap

### MARKET SEGMENT

Confectionery

### APPLICATION

«Kislinka» hard sugar candy from Roshen

### BRAND OWNER CHALLENGE

Enhanced shelf-appearance and seal integrity



“Kislinka” hard sugar candy  
from Roshen

## Solution

Chose OPPalyte™ 40MW648 film for its low temperature sealing (VLTS) coating and its excellent performance on high-speed HFFS machines.

The white cavitated core in conjunction with the VLTS coating provides good seal integrity.

The acrylic coating provides an excellent surface for printability, enhancing graphics and the product's shelf-appearance.



## Features

- Exceptionally wide sealing range.
- Excellent surface for printability.
- Good aroma barrier.

## Benefits

- Easy opening solution.
- Efficiency on high-speed machine.
- Enhanced seal integrity.
- Enhanced graphics, improved shelf-appearance vs. twist format.

**Contact your Jindal Films representative for more information**

**[www.jindalfilms.com](http://www.jindalfilms.com) - [info@jindalfilms.com](mailto:info@jindalfilms.com)**

**Jindal**  
Films

© 2018 Jindal Films. Jindal Films, the Jindal Films' logo, and other product or service names used herein are trademarks of Jindal Films, unless indicated otherwise. You may not upload, display, publish, license, post, point to, frame, transmit or distribute either this document or its information, whether in whole or in part, without Jindal Films' prior written authorization. To the extent Jindal Films provides prior written authorization, the user may use the document or its information only if the document is unaltered and complete, including all of its headers, footers, disclaimers and other information. Any data included herein may be based upon: analyses of representative samples and not the actual product shipped, typical values, or otherwise. The information in this document relates only to the named product or materials when not in combination with any other product or materials. We base the information on data believed to be reliable, but we do not represent, warrant, or otherwise guarantee the accuracy, reliability, or completeness of this information; nor do we warrant, expressly or impliedly, the merchantability, fitness for a particular purpose, freedom from patent infringement, or suitability of the products, materials or processes described. The user is solely responsible for all determinations regarding any use of material or product and any process in its territories of interest. We expressly disclaim liability for any loss, damage or injury directly or indirectly suffered or incurred as a result of, or related to, anyone using or relying on any of the information in this document. This document is not an endorsement of any non-Jindal Films' product or process, and we expressly disclaim any contrary implication. The terms "we," "our," "Jindal Films" and "Jindal" are each used for convenience, and may include Films Americas LLC, Jindal Films Americas LLC, Films Europe S.à.r.l., Jindal Films Virton SPRL, Jindal Films India Ltd., or any companies affiliated with them in the production and sale of film products. There are a number of such affiliated companies, some with names including "Jindal" or "Films" and some not. Neither these terms and conditions, nor anything else in this document, is intended to override or supersede the legal separateness of those affiliated companies and responsibility for local action and accountability remains with them.